Spring in Winnipeg presses the reset button with a slushy finger. Snow softens, gutters gurgle, and roofs finally come out from under the long freeze like a bear rolling off last season's berries. It is also when the small winter problems announce themselves with water stains, curling shingles, and a few guilty-looking icicle scars along the eaves. If you own a house here, you learn fast that a good spring routine for your roof saves money, frustration, and sometimes your Saturday plans for the next five years.

I have walked more than my fair share of Manitoba roofs after the thaw, from 1950s bungalows with cedar shake artifacts in the soffits to new infills that thought they were too pretty to need drip edge. The patterns repeat. The mistakes do too. A spring checklist, done with a little method and a little patience, catches most of it.

Why spring in Winnipeg is different on a roof

Our winter is not gentle. Consecutive nights at -25 C and colder will make any shingle brittle. Then the first warm spell hits, the attic exhales, and everything sweats. Freeze-thaw cycles pry at fasteners and split caulking. Wind gusts pick at exposed tabs and ridge caps, especially on open lots and older neighborhoods with mature trees that funnel gusts just so. Ice dams form along the north-facing eaves where the sun is more rumor than reality. Granules wear off faster along snow-slide paths. And the gutters, bless them, turn into frozen bathtubs that finally let go and dump a winter's worth of grit into your downspouts in one exciting minute.

Because of these forces, spring inspection here has two jobs. First, you find what winter broke. Second, you set the roof up so summer storms and next winter have less to work with.

Start with a safe plan, not a heroic story

The safest roof work is done from the ground, binoculars in hand, with a cup of something warm nearby. Some tasks, like clearing loose debris from valleys or resealing a popped nail, require getting on the roof or at least on a ladder. If you have a two-story home on a sloped lot, know your limits. Roofers exist for a reason, and a quick service call costs less than a sprained ankle or a misplaced foot through a brittle shingle field.

Here is the only ladder speech you will ever get from me. It is short and you will remember it.

- Place the ladder on solid, level ground, tie it off if possible, and follow the 4-to-1 rule for angle.
- Keep three points of contact at all times and carry tools in a belt, not your hands.
- Wear soft-soled, clean shoes with good grip.
- Avoid stepping on frosty or wet shingles, and never on a granular pile in a valley.
- If the pitch or height makes you hesitate, call a pro.

Begin with the big picture from the ground

Before you climb anything, walk the property slowly. Spring light is forgiving, but your eyes catch more if you go methodically. Stand back from each elevation and scan the shingle field for color changes. Darker patches can mean moisture, lighter patches can mean granule loss. Look along the ridges for lifted caps. Eye the valleys for debris dams and misaligned flashing. Now follow the eaves line. Wave or sag in the gutters often tells you the hangers shifted in the ice. Finally, check the downspouts and the grade below. If the snow piled high there, the seam may have separated from that weight.

If you have binoculars, now is their time to shine. They make bad caulking at a plumbing stack obvious and save you two trips up the ladder. If your roof is newer than five years, you are mostly hunting for early wear at penetrations and along the edges. If it is older than fifteen, add ridge caps, south-facing slopes, and any past patch jobs to the list.

Attic truth serum: ventilation and insulation

A surprising number of Winnipeg leaks begin with bad attic behavior, not with the roof surface. In spring, the attic tells on itself. On a cool morning, open the hatch and breathe carefully. If the air is damp or smells like old laundry, moisture was trapped in winter. Look for frost stains or little salt-like blooms on nails and trusses. Those white specks are where winter condensation froze, melted, and dried, and they point to ventilation shortfalls.

Check that soffit vents are not smothered by insulation. Baffles should keep a clear channel from soffit to attic. In many older homes, a well-meaning person added loose-fill insulation years ago and buried the soffit chutes without meaning to. That starved the roof deck of air and set you up for ice dams. If you see batts pushed right against the roof sheathing at the eaves, it is time to add or fix baffles.

Exhaust vents need a paired intake. One lonely box vent on a hip roof that has thirty feet of soffit without vents will not move enough air. A balanced system is the goal. Continuous ridge venting with clear soffits is excellent on gable roofs, but hip roofs sometimes do better with a few well-placed high-capacity vents. There is no single universal rule here. The test is simple enough. On a breezy day, a tissue at a soffit vent should move a bit, and the attic should not feel like a sauna by midafternoon.

Insulation matters for another reason. A warm attic in winter melts snow from below, then that water re-freezes at the cold edge over the eaves and makes a fine ice dam. R-value targets vary, but many Winnipeg homes perform well in the R-50 to R-60 range when air sealing is handled properly. If you are far below that, mark it down as a mid-term project paired with soffit corrections. A tiny bead of closed-cell spray foam around plumbing penetrations and ceiling light boxes can knock down a huge percentage of your attic moisture issues. You would be amazed how much moist indoor air rides a kitchen potlight into the attic all winter.

Gutters, eaves, and the slow river problem

Eavestroughs take a beating in winter. Ice expands, hangers twist, and sealant in corners separates. In spring, a slow drip at a mitre joint will carve an ugly stain down your siding in a week. Scoop out gritty sludge and shingle granules before you run a hose test. You want to see water move smoothly to the downspouts with no lazy ponds sitting near the middle. An ideal slope is subtle, usually a few millimeters per meter. On older aluminum systems, a single hanger correction can restore slope; on continuous systems, you sometimes need to reset two or three.

Downspouts should discharge at least two meters from the foundation, ideally across a splash pad or extension that survives careless snow shoveling. If your lot is flat and heavy spring melt pools near the house, consider hinged extensions you can flip down each March. They are not pretty, but neither is a sump pump working overtime.

One Winnipeg-specific note: leaves are not the only gutter clog. Cottonwood fluff in early summer mats together like felt and blocks outlets. If you have mature cottonwoods, a leaf-guard that handles fine debris without sealing solid under snow is worth the investment. Some guards ice up too easily in winter, trading one problem for another. Ask for a sample and hold it in your hands. If it looks like a cheese grater and your gut says it will turn into a skating rink, trust that gut.

Shingles and flashings under the magnifying glass

Architectural shingles resist curling better than three-tab, but no shingle likes ultraviolet exposure plus freeze cycles forever. Expect to see scattered thermally cracked tabs after harsh winters, especially near ridges and south faces. A cracked shingle here and there is a spot repair, not a panic. Replace the individual pieces with matching or close-to-matching stock. On a roof over fifteen years old, be honest with yourself. If the field is losing granules heavily and the ridge caps are splitting, you are in the planning window for replacement, not just patching.

Flashings deserve the most attention. Step flashing along sidewalls should be tucked under each course of shingle and lapped correctly. If you see a continuous L-shaped flashing with no steps on a wall longer than a meter, history has already introduced you to leaks. Spring is the time to correct the detail or at least rework the counterflashing and sealants. Valleys should be either closed-cut with clean shingle edges or open with a visible metal valley, often galvanized or aluminum. If debris sits in a valley and you can reach safely, clear it by hand. Do not drag a shovel along the shingle surface. A cheap plastic gutter scoop is a safer shape.

Plumbing stacks and exhaust vents wear out faster than shingles. Rubber boots stiffen and crack. Metal vents lose their factory sealant. If your boot is visibly cracked, replace it now, not after the first June thunderstorm. The part costs little and saves drywall. If you use sealant, pick a high-quality, cold-weather rated roofing sealant that remains flexible at -30 C. Ordinary latex caulks die quickly in our climate.

Chimneys need a specific look. Mortar joints crumble after enough freeze-thaw cycles, and counterflashing sometimes ends shy of the corners. If you see water stains on the ceiling near a chimney, do not assume the problem is the shingle field. Nine times out of ten it is flashing or mortar. Tuckpointing and proper counterflashing beat a tube of goo every time.

Ice dam autopsies and future prevention

If you had ice dams last winter, you probably have the scars, either in the form of fascia staining or a water line along the eaves drywall inside. The temptation in spring is to scrape and paint and forget. Better to do a simple autopsy. Look for where the dam formed, often along north eaves or over cathedral ceilings with poor ventilation. Check the attic floor beneath that zone. Often you will find an open chase around a plumbing stack, a missing air barrier over a bathroom fan duct, or a gap at the top plate of an exterior wall where warm air went straight to the eaves.

Solving ice dams is never just one trick. Lower attic temperatures help, and so does better air sealing, but the underlayment matters too. When the roof eventually gets replaced, specify an ice and water membrane from the eaves to at least 24 inches inside the warm wall line. In Winnipeg, many installers run it three to six feet up the slope as cheap insurance. Add proper drip edge at the eaves and rakes. Those small details make big differences during a bitter week in January when sunlight is just a rumor.

The spring hose test, used wisely

A garden hose in April can save you guessing in October. If you suspect a leak around a vent or a sidewall, a two-person hose test is both simple and telling. One person is inside with a flashlight and a note pad, the other is outside with the hose set on a medium spray. Start low and work upward, soaking one small zone at a time for a few minutes. Patience is crucial. Water takes odd paths along underlayment and sheathing. Jumping straight to the highest point hides the real entry.

Do not point a pressure washer at shingles. The granules are your friends, and blasting them off speeds up the end of the roof’s life. A gentle spray is enough to simulate a wind-blown rain.

Cleaning without aging the roof

Roofs collect the city. Pollen, dust, urban soot, and budding algae can make a surface look older than it is. In Winnipeg, north faces sometimes show a faint green cast where meltwater lingered under snow. Light cleaning helps, but heavy scrubbing does not. Avoid abrasive brushes. If you must clean, a sprayer with a mild mix that is recommended for asphalt shingles and plenty of rinse is safer. Many modern shingles contain copper or zinc granules to fight algae. If yours does not, a simple copper strip near the ridge can help keep algae at bay as rainwater carries a trace amount down the slope. It is not a magic wand, but it is a quiet helper.

The small fixes that buy you years

Spring is the perfect time for tiny adjustments that pay outsize dividends by July. Tap down any exposed nail heads you can see and seal over them. Replace one or two missing shingle tabs before wind season. Add a downspout extension now, not when the first thunderstorm is on the radar. Clear leaves from the valleys before they glue themselves together. Realign one gutter hanger that sagged. These are ten-minute tasks that future you will thank present you for when the first hard rain presses all the house's weaknesses at once.

When to call a pro, and what to ask

You do not need to become a roofer to maintain a roof, but you should know when a clipboard is better than courage. If your roof is steep enough that you hesitate to stand up straight, hire the inspection. If you see a pattern of cracks or multiple soft spots underfoot, a professional assessment prevents guesses turning into **Click to find out more** dollars. If the attic shows signs of systemic moisture, an experienced eye will sort ventilation, insulation, and air sealing in one visit.

When you do bring in an expert, ask a few pointed questions. How does the current ventilation balance look, intake to exhaust? Do the penetrations match the age of the shingles or are they older and due? Are the valleys correctly formed for our snow loads, and does the underlayment coverage match Manitoba's climate? A good winnipeg roofing contractor will talk details in plain language and point at the exact shingle, vent, or line of flashing while they explain. If all you hear is "You need a new roof" without a tour of the reasons, you do not have enough information to spend well.

A quick, practical checklist to run each spring

This is the heartbeat of the routine. It folds all the above into a simple loop. Work through it on a calm day with enough light to see the edges of things clearly.

- Walk the perimeter and scan each slope, ridge, and valley from the ground for obvious damage and debris.
- Clear gutters and downspouts, confirm proper slope, and extend discharge away from the foundation.
- Inspect flashings, vents, and plumbing stacks up close, repairing cracked boots and resealing as needed.
- Pop into the attic on a cool morning to check for moisture signs, open soffits, and balanced ventilation.
- Hose-test suspect areas methodically, starting low and moving up, with a spotter inside.

The insurance and paperwork corner most people skip

Take pictures. Not glamorous ones. Stand in the same four spots each year, shoot the same angles of the roof and the gutters, and drop them into a dated folder. That silly habit has helped more homeowners win small insurance claims after wind events than any other trick I know. You can show a carrier what was normal in April

and what changed in June. Likewise, keep receipts for all small materials and any service calls. When you eventually sell, a quiet stack of records about your roof makes nervous buyers relax, even if the shingles are older than they hoped. It shows the roof was loved.

If you do substantial work, ask the contractor to note the specific materials used. Ice and water brand and coverage, shingle make and model, underlayment type, vent type. That chart saves headaches ten years later when you need to match or evaluate performance honestly.

The Winnipeg wrinkles: wind, trees, and snow fences

A few local quirks deserve their own paragraph. Spring winds here can be playful and then rude in the same hour. Pay special attention to anything that acts like a sail on your roof. Satellite dish mounts, loose ridge caps, even solar conduit flashings if you have panels. If the mount is not into framing, fix that before the next 70 kilometer gust.

Trees are double-edged. They shade the roof in summer and break the wind, which the shingles appreciate. They also drop branches and seed whirligigs, and they block sunlight on north faces where ice lingers. Prune thoughtfully. A two-meter clearance between branches and shingles keeps abrasion down without stripping your yard of character.

Snow fences and roof snow guards belong in a spring conversation because you remember the trouble now, not in October. If your metal porch roof dumped an avalanche in February that ripped a gutter off, plan snow retention now. If your driveway drifted into a sculpture garden because the neighbor’s fence lines up with your garage, consider adding or moving a snow fence. Controlled snow is safer for roofs and foundations alike.

Don’t ignore the soffits and fascia when they grumble

Peeling paint along fascia boards or rusty streaks under drip edge tells you water did not obey gravity in a friendly way this winter. If your fascia is **winnipeg roofing** wood, check for softness with the blunt end of a screwdriver. Early rot can be confined to a small section. Modern aluminum fascia often hides the wood behind it. If you have ongoing ice issues, pull one piece and check. Replacing a 2x4 nailer or sistering a little support now keeps your gutter line straight and the eaves secure.

Soffit panels, especially older vinyl or aluminum, sometimes loosen under snow slide and wind. A rattly panel at the corner lets pests in and reduces intake airflow. Snap it back or replace a length. If you do not feel comfortable on a ladder at that height, it is a quick service call for a siding or roofing tech.

How old is old enough to think about replacement?

There is no magic number, but there are patterns. An architectural asphalt roof installed well can go 18 to 25 years in our climate. A three-tab might be comfortable at 12 to 18. A roof that handled attic moisture poorly will look old sooner, even if it was not. If more than 10 percent of your ridge caps are cracking, if you can fill a dustpan with granules out of the gutters each spring, or if spot repairs become an annual ritual, you have entered the planning phase. Gather two or three quotes, compare details not just prices, and ask each bidder to explain how they are tailoring the system for Winnipeg winters. That is the part that separates a pretty job from a durable one.

A note on materials that behave well here

You will hear about SBS-modified shingles that stay flexible in the cold, synthetic underlayments that do not wrinkle, and vent products that handle snow load without choking. Most of these are worth a conversation. A colder climate rewards materials with better flexibility and fasteners with stronger pull-through resistance. Remember that the roof is a system. Ice and water at the eaves without proper drip edge still leaves a path for water to meander into the fascia. A high-flow ridge vent without clear soffits accomplishes little. Insist on the whole picture whenever possible.



Metal roofs have their fans. Properly detailed, they shrug off ice dams and go decades. They demand correct snow retention and careful flashing at chimneys and dormers. If you have a low slope or complex intersections, vet the installer carefully. The right crew makes metal sing; the wrong one makes a harmonica out of your chimney flashing every windy night.

The homeowner’s rhythm: little now, less later

If all of this sounds like a lot, breathe. A spring routine takes a couple of hours once you know your house. You check the big pieces you can see, you poke at the few you cannot, and you fix what presents itself. The payoff is quiet roofs in loud storms, gutters that behave, and a house that does not surprise you with stained ceilings the week of your in-laws’ visit.

Winnipeg keeps us honest. It asks your roof to earn its keep in January and smile in July. A little attention each spring is how you return the favor. And if your patience or your pitch angle runs out, the local winnipeg roofing crews have seen your exact problem ten times already this season. They will bring a ladder, a coil of sealant that does not stiffen in the cold, and a habit of looking twice at sidewall flashings that came from years of watching snow behave like a slow river. You will learn a thing or two. Your roof will, too.

Canadian Crafted Roofing And Renovations
314 Bond St, Winnipeg, MB R2C 1X5
+12042217663
https://cancrafted.ca/
Facebook